

GEOMORPHOLOGICAL ANALYSIS FOR ASSESSMENT OF COASTAL RECREATION SITES IN THE COASTAL AREA OF TRISIK, KULON PROGO REGENCY, YOGYAKARTA PROVINCE*

by

Suratman Woro and Tukidal Yunianto**

ABSTRACT

The sand dunes and beach ridges area along the south coast of Yogyakarta Special Region are partly potential for a recreation site. The development of the Trisik Coast in Kulon Progo as a recreational area, is feasible for its natural landscape condition and its location, close to the outlet of Progo River. For this purpose, a basic survey should be carried out, in which case, a geomorphological survey may be a part of the survey that contributes to the study of landforms and their processes. Relevant geomorphological aspects, such as morphodynamics of the tidal zone, wind-erosion and flood hazard in the assessment of physical potential of the Trisik coast for recreation have been analysed. Aerial and ortho-photo interpretation proved to be a useful tool in delineating landforms.

INTRODUCTION

Geomorphological reconnaissance are essential prerequisites for almost any kind of applied geomorphological work. The field of geomorphology encompasses landforms, processes, genesis in their environmental context (Verstappen, 1960). By analysing these geomorphological data, the geomorphologist may contribute the solution of current development problems.

To develop the coastal area of Trisik as a recreational area, a physical survey should be carried out evaluate its potential. Geomorphological surveying can applied to delineate landforms, because landforms are more recognizable features in the field and on aerospace imagery. By interpreting ortho-photos (1981) and aerial

* The former version of this paper was submitted to the "Symposium IGU Working group on Geomorphological Survey and Mapping", Yogyakarta, August 14 - 19th 1988.

photographs of 1971, landforms and related geomorphological aspects for recreation can be identified. The landforms are classified according to their genesis.

Aerial-photo and/or ortho-photo interpretation is a convenient technique that can be adopted in determining inherent characteristics and mapping land units. As considered from its physical characteristics and historical context, the Trisik coastal area is potential for such recreational forms as camping, fishing, and cultural performances.

In the assessment of coastal recreation in the Trisik coastal area, other geomorphological aspects are considered, such as wind erosion, morphodynamics of the tidal zone and the Progo River flood hazards. These geomorphological aspects are analysed in order to determine zones for coastal-recreation.

OBJECTIVES AND METHODOLOGY

The objective of this paper is to analyse the relevant geomorphological aspects for the assesment of the coastal recreation in the Trisik coastal area, Kulon Progo Regency, Yogyakarta. Aerial-photo and Ortho-photo interpretation has been carried out during the geomorphological surveying and mapping. A geomorphological field survey has been done on the beach for morphodynamic studies.

LOCATION AND PHYSICAL ASPECTS

The Trisik coastal area is situated in the Galur sub-district, Kulon Progo Regency, Yogyakarta. It is closed to the mouth of the Progo River (Figure 1).

Climatologically, it has a humid tropical monsoonal climate. The characteristic of the climate is reflected by a pronounced dry season which normally lasts from June to October, and wet season which prevails from November to April. The annual rainfall is about 1,994 mm. Lithologically, the Trisik coast is covered by alluvium consisting of gravel, silt and clay. Sand deposits of reworked young volcanic material from Merapi volcano are transported by Progo River. Geomorphologically, the Trisik coast is located within the marine, eolian and fluvial units. Progo River transports sediments into the sea, sea water along the shore yellowish blue. During the wet season flooding may occur in the fluvial plain due to the high peak discharges of the Progo River. In the dry season, wind erosion seriously occurs in the sand dunes area and salt water encroaches up to the fluvial plain near the outlet of Progo River.

Soils are sandy, loamy, and clayey. The sandy soils are distributed along the sand dune areas and the loamy, clayey soils are found in the fluvial plain unit (Dames, 1955). Dry field is the dominant land use in the sand dune areas. Whilst wet rice fields cover the fluvial plains.




Figure 1. The Outlet of Progo River.

GEOMORPHOLOGICAL ANALYSIS FOR COASTAL RECREATION

Landforms Analysis

To produce a geomorphological map of the Trisik coast, interpretation of 1981 ortho-photos scaled 1 : 5,000 can be employed. The main geomorphological features to be presented on the maps are landforms and processes (Figure 2). Detailed geomorphological information such as slope, wind erosion, floods and tides, have been collected during the field campaigns.

By analysing the geomorphological map, the following landforms of the Trisik coastal area can be identified:

a. Progo River, Galur Canal and Lagoon

The outlet of Progo River is a nice object that shows the contact between fresh and sea water. In the wet season Progo River brings yellowish sediment into the sea and it causes the sea water along the shore to be yellowish blue. In the dry season, the outlet of Progo River is occasionally dammed up by sand deposits (see Figure 1). The Progo River outlet is dangerous for swimming because of the effects of swell and waves, especially during the high tide periods. It is less potential for water recreation due to the effect of sea water and the activities of the Progo River due to floods and river bank erosion. The Galur canal might be used for water recreation, such as swimming and other sports, because of the width and shallowness of its calm water, and the reduced effect of waves.

b. Active Sand Dunes

The sand dunes in the Trisik coastal area are irregular and of the longitudinal types. They are formed by eolian process. Field observations show that the agricultural activities are largely absent due to wind erosion and unfavourable factors, such as soil and water conditions. Therefore, sparse vegetation and bare land occur in sand dunes areas; these dunes are suitable for walking or passive recreation to enjoy the nice view of the sea.

c. Less Active Sand Dunes

This is partly used for agricultural activities such as growing secondary crops especially in the wet season. The larger part of the area is still in a natural condition with grass and bush cover. The wind action is less active. The land surface is mostly covered by natural vegetation. Therefore, the materials of the dunes are not easily transported by eolian processes. From field observations, it was found that the local people make wind barrier-breaks from local vegetation. These conservation practices should be considered in the development of this area as a coastal recreation site. Forest recreation and camping may be considered as suitable alternatives of recreational activities.

d. Inactive Sand Dunes

The wind action in this area is further reduced and depositional processes are less active. The material is mostly fine to medium-grained sands. The vegetation cover and landuse is different from the previous sand dunes. In this area, secondary




Figure 2. Geomorphological Map of The Trisik Coastal Area, Kulonprogo District, Yogyakarta Province.

crops such as groundnut or cassava are found. The sand dunes are less suitable for recreation, since it is rather far from the beach.

e. Fluvial Plain and Backswamp areas

It is characterized by a flat topography, poorly to moderately drained. And frequently flooded during the wet season. These conditions allow the farmers to grow such crops as dry field rice. This area is potentially used for agricultural activities. In the dry season, salt water may reach the alluvial plain through the Galur Canal. In the backswamps, the water conditions permit fishery, and therefore, this area is potential for fishing.

Morphodynamics of the Beach

Morphodynamics is an aspect of studies on morphogenesis. The study of the dynamical effects of waves in the tidal zone is important for water recreation evaluation. The condition of the sea for swimming can be inferred from morphodynamical measurements. Three cross sections are measured in the field, the data are tabulated in Table 1, and presented in Figure 3.

By analysing the map, the sea is not suitable for swimming because of the strong waves. The effect of strong waves is reflected on the presence of the cliff in the tidal zone.

Wind erosion

In the study area, wind erosion processes can be observed at the zones along the coast. A strip of low, undulating dunes occurs where the young Merapi products nearly reach the coast. The dunes consist of loose sands containing plagioclase, augite, magnetite, some hornblende, hypersthene, volcanic glass and small andesitic rock fragments.

The dominant factors of wind erosion in the study area can be estimated from soil erodibility, climate, vegetation, and land use. Soils in the youngest outer dunes are characterized by dark grey colour (7.5 YR 5/0, dry) with wholly unweathered sands, whereas soils on the minor dunes are light brownish grey (2,5 Y 6/2, dry) slightly more silt and clay containing sands to sandy loams.

The greater part of the soils consists of particles of 0.1 - 0.5 millimetres in diameter, and have a weak clod size distribution. These soil characteristics are considered to indicate high erodibility.




Figure 3. Morphodynamics of The Tidal Zone.

TABEL 1. DATA OF CROSS-SECTION MEASUREMENTS

Date of observation April 14th, 1988			Date of observation April 15th, 1988		
Y2 R2 elevation 8 Cm point			Y2 R2 elevation 7 Cm point		
No.	Distance (cm)	angle (%)	No.	Distance (cm)	angle (%)
1.	2,15	+ 1	1.	2,10	+ 1
2.	4,00	- 26	2.	4,20	- 25
3.	11,90	- 1	3.	14,20	0
4.	22,00	+ 3	4.	19,60	+ 3
5.	29,80	- 1	5.	23,40	+ 2
6.	-	- 14	6.	-	+ 18
Y1 R1 elevation 20 Cm point			Y1 R1 elevation 19 Cm point		
1.	5,75	+ 1	1.	6,10	+ 1
2.	4,30	- 23	2.	3,70	- 25
3.	15,90	0	3.	10,00	0
4.	18,40	+ 3	4.	24,60	+ 2
5.	7,15	- 4	5.	5,40	- 2
6.	20,40	+ 1	6.	6,10	+ 1
7.	-	- 9	7.	-	- 10
Y3 R3 elevation 17,5 cm point			Y3 R3 elevation 16,5 Cm point		
1.	8,90	+ 2	1.	9,00	+ 2
2.	4,10	- 18	2.	3,30	- 20
3.	24,00	+ 1	3.	8,80	- 2
4.	5,20	- 1	4.	15,00	+ 3
5.	21,20	+ 1	5.	8,80	- 2
6.	-	- 7	6.	18,80	- 6

Note: Y R = tracing line

The climatic factor of temperature in the dry period, which lasts about four months (May up to August), ranging from 32-35°C in the daytime, plays an important role in the local wind velocity, and desiccation of the land surface.

The low height and low density of vegetation along the coast has a strong influence on wind action. The scanty vegetation consists mainly of *Pandanus*, *Calotropis Gigantea*, *Canavalia rosea* on the dunes and of *Ipomea Pes-caprae* and *Spinifex Littorous* near the beach.

The inner dunes area can be used locally for agricultural activities, especially on silty soils and in water retaining areas.

FLOOD HAZARD AND SALT WATER INTRUSION

A coastal alluvial plain is an area which may be subjected to damage by flooding and salt water intrusion. Altitudes of the coastal alluvial plain range from 3 to 8 metres above sea level. The flooding occur yearly, and vary from a half up to three months, i.e. December until January/February. The area is poorly drained with shallow watertables.

The parent materials have fine texture; alluvial river deposits are originating either from nearly limestone of Sentolo Hills or young Merapi Volcano. The soils are generally light grey, dark grey, olive grey or black heavy clays over bluish-grey or olive subsoils.

Coastal-Recreation Zoning

Based on the geomorphological analysis, the coastal recreational area of the Trisik coast can be divided into seven zones. The zoning is based on landforms, morphodynamic aspects, wind erosion, flooding and saltwater intrusion. The coastal recreation zones of the Trisik coast are then described as follows (Figure 4 and 5).

1. **Water-recreation zone.** The zone extends along the tidal zone, the outlet of the Progo River, Galur canal and lagoon. The most important object for water recreation is the Galur canal because the condition of water of canal itself are stable. While the tidal zone and outlet of the Progo River are more dangerous because the effect of waves and swell.
2. **Passive coastal-recreation zone.** This zone lies within the active dunes areas. Within this zone, a view of the sea can be enjoyed at the day time. The problem of this zone is the relatively high, land surface therefore, this area is suitable for sun-bathing and sojourners under shelter.
3. **Active coastal-recreation zone.** This zone covers the leeward side of the active dune areas, because the wind action is less active here. The zone is more stable dunes, so that playground is available for active recreation in this zone.
4. **Coastal forest-recreation and camping zone.** The zone occupies the less active to inactive sand dune areas. The sand dunes are partly natural and therefore, they should be protected by growing a forest. The coastal forest is intended for conservation and recreation. The sand dune area has a undulating topography, which is considered suitable as a camping area.
5. **Cultural-recreation zone.** This zone is proposed for local cultural performances. The suitable area for cultural recreation is in the inactive sand dunes area. The main reason is that the wind action is very low, therefore the building facilities can be constructed in this zone.
6. **Recreation facilities centre zone.** This zone covers the less active sand dunes close to the main road and village. The recreation facilities to be




Figure 4. Zone Map of The Trisik Coastal Area, Kulonprogo District, Yogyakarta Province.




Figure 5. General Outline Map of The Coastal Recreation of The Trisik Coastal Area, Kulonprogo District.

constructed in this zone are parking area, souvenir shops, restaurants, cottages, etc.

7. **Rural conservation recreation zone.** This zone extends over the alluvial plain and several old beach ridges. In the zone, Tanjungsari village is considered as a specific village for recreation.

CONCLUSION

The principal conclusion which can be drawn from this study is that the utilization of aerial ortho-photo materials at scale 1:50,000 proved to be very successful in delineating the various geomorphological units, which forms the base for a further division into recreation zones.

REFERENCES

- Dames. T.W. E., 1955. *The Soils of East Central Java*. Contributions of the Central Agricultural Research Station. Bogor.
- Fakultas Geografi, Universitas Gadjah Mada. 1988. *Rencana Induk Pembangunan Obyek Wisata Pantai Trisik*. Yogyakarta: Dinas Pariwisata.
- Suratman, 1988. *Terrain Analysis for Agricultural and Suitability Evaluation of Kulon Progo District, Yogyakarta Province*. Enschede: ITC.
- Verstappen, H. Th., 1983. *Applied Geomorphology. Geomorphological Surveys for Environmental Development*. Amsterdam: Elsevier.

INDEX

(Volume 1-17)

AERIAL PHOTO

Atmosoedardjo, Soekiman : F A O Seminar on Aerial Photo-Interpretation as Applied to Forestry 1963, 3 (4-6) 1961-1963: 45-60.

Soetanto : Aerial Photographic Coverage and Utility in Indonesia, 6 (10-31) 1976: 43-57.

Sutanto : Aerial Photographic Interpretation for Population Estimation and Its Distribution, 14 (48) 1984: 67-78.

AGRICULTURE

Khan, M.Halim: Map Supplement: Map of Indonesia showing the Areas of Agricultural Development and Mineral Exploitation, 4 (8) 1964: 64

Khan, M.Halim : The Rise and Decline of Cash crop in Java, 1(2-3) 1961 : 47

Reksohadiprodjo, Iso and Sodarsono: Double Cropping in Wet-Rice- Cultivation in Relation to Soil and Climate (in a few Region of Central Java), 3 (4-6) 1961-1963: 10-14.

Sumantri and Sumarwoto, Otto : The Effect of Rainfall on Acreage of Gogorancan Rice in Several Gogorancan Regions, 5 (9) 1965: 17-21.

AGRO-ECONOMICS

Ommeren, Caroline M.van and Palte, Jan G.L. : Marketing Patterns of Agricultural Commodities in an Upland Area of Central Java. 16 (52) 1986: 33-48.

BIBLIOGRAPHY

Martha, Sukendra : An Annoted Bibliography on Geographic Information Systems Applications in Developing Countries. 15-16 (49-51) 1985-1986: 133-144.

Soetanto : Aerial Photography and Its Application in Indonesia; An Annotated Bibliography, 6 (32) 1976: 27-40.

Soetanto and Voskuil, R.P.G.A.: Aerial Imagery and Its Application in Indonesia; An Annotated Bibliography, 7 (34) 1977: 19-34.

CARTOGRAPHY

Sudiardjo, Basuki : Thematic Cartographic in Indonesia: A Search for Base Maps. 9 (38) 1979: 37-44.

Soedihardjo, Basuki : Cartographic Development in Indonesia. 1 (1) 1960: 31-36.

CLIMATE

Antara and UNESCO Report: UNESCO and Cultural Organization Humid Tropics Research Programme. 4 (7) 1964: 61-62.

Evans, W. Buell : A Statistical Analysis of Monsoon Precipitation at Yogyakarta. 4 (7) 1964: 16-22.

Evans, W. Buell: Some Aspects of Climate in Java. 1 (2-3) 1961: 32-36.

Evans, W. B. : Climate Resume for Yogya. 3 (4-6) 1963: 15-28.

Sarpong, E. Ofori : Perspectives on the Drought of 1975-1977 in Ghana. 12 (44) 1982: 1-14.

CULTURAL

Soemowidagdo, R.Soemadi: Cultural Revision in Indonesia, 1 (1) 1960: 27-30.

Sutton, Willard J. : A Short Note on Ceramics in Indonesia, 4 (8) 1964: 38-47.

Zoetmulder, P.J.: The Mutual Relationship Between Geography and the History of

Indonesia Culture and Literature 1 (1)
1960: 21- 26.

DIGITAL IMAGES

Isaacson, D.L., J.P. Gastellu-Etchegorry,
Haryadi, Dulbahri and Prapto Suhar-
sono: A Procedure for Deriving Geo-
referenced for Digital Images, 17 (54)
1987: 11-22.

ECOLOGY

Yunus, Hadi Sabari and Totok Gunawan: A
Short on Ecological Adaptation of
Mountain People of Ngargosari Vil-
lage, Samigaluh Subdistrict, Kulon-
progo Regency, 9 (38) 1979: 1-14.

ECONOMIC GEOGRAPHY

Khan, M. Halim : The Economic Geo-
graphy of Madura, (9)

ENVIRONMENT

Preston, David A. : Environmental Change
and Household Livelihood Strategies:
Preliminary Observations from Field
Work in Different Locations, 15-16
(49-51) 1985-1986: 101-114.

Sutanto and Zuharnen: Sir-A Views our
Environment An Experiment in the
Batu Angkal Area, West Kalimantan,
Indonesia, 15-16 (49- 51) 1985-1986:
115-132.

Yunus, Hadi Sabari: Urban Environment
Assessment: Special Reference to Ter-
restrial and Aerial Photographic Ap-
proaches, 15- 16 (49-51) 1985-1986:
75-100.

EROSION

Ambar, S and Wiersum K.F.: Comparison
of Different Erodibility Indices under
Various Soil and Landuse Conditions
in West Java, 10 (39) 1980: 1-16.

Linden, P. van der : The Application of A
Parametric Grey Box Type Approach
to Investigate Surface Run off and
Erosion During Rainstorms, An
Erosion Plot Case Study in Central
Java, Indonesia, 10 (40) 1980: 23-42.

Wiersum, K.F. and Ambar S. : A Note on
the Use of Use of Erosivity on Java
10 (40) 1980: 1-8.

GEOGRAPHY

Bintarto, R.: Connectivity, Centrality and
the Nature of Road Network in Bali; A
Preliminary Study, 6 (10-31) 1976: 35-
42.

Bintarto, R. : Geographical Relevance to
the Study of Development, 12 (43)
1982: 51-57.

Bintarto, R. : Geography and Population in
the Area of Yogyakarta, 1 (2-3) 1961:
29-31.

Gastellu-Etchegorry, J.P.: Geography with
The Environmental Satellites, 15-16
(49-51) 1985-1986: 33-68.

Hadisumarno, Surastopo : Origins, Growth
and Future of Geography in Indonesia,
14 (48) 1984: 11-34.

Hinderink, J.: Geography and the study of
Development, 11 (42) 1981: 51

Khan, M. Halim : Geography in Indonesia, 1
(1) 1960: 51

Moody, K.W. : Underdeveloped countries
:How far Underdeveloped, 1 (2-3) 1961:
37-46.

GEOMORPHOLOGY

Dibiyosaputro, Suprpto: Geomorphology
and Archaeological Sites of Bujang Val-
ley Area, Malaysia, 17 (54) 1987: 23-36.

Hadisumarno, Soerastopo : Segara
Anakan, 4 (8) 1964: 30-37.

Hadisumarno, Surastopo : Coastline Accre-
tion in Segara Anakan, Central, Java,
Indonesia, 9 (37) 1979: 45-52.

Hadisumarno, Surastopo : The Geomor-
phology of Palu Area, Sulawesi from
Landsat-1, 7 (34) 1977: 45-59.

Kardono: Morphology of Highland of
Batur, 1 (1) 1960: 37-44.

Linden, P. van der: A Reconstruction of the
Quaternary Landscape Development of
the Serayu River Basin, Central Java,
Indonesia 8 (36) 1978: 1-16.

Ongkosongo, Otto S.R. : The Nature of Coastline Change in Indonesia, 12 (43) 1982: 1-22.

Reksohadiprodjo, Iso : The Accelerated Growth of River Deltas in Java, 4 (7) 1964: 1-15.

GEO-ELECTRIC

Simoen, Sunarso, Darmakusuma Darman-to and Suseno Darsomartoyo: A Short Note on a Geo-electric Survey in the Cilacap Area, Central Java, 7 (34) 1964: 35-44.

GROUNDWATER

Beukeboom, Th. J. : Some Theories on Fresh Salt Groundwater Relationships in Coastal Aquifers, 8 (35) 1977: 1-10.

HIDROLOGY

Darmawidjaja, M. Isa: A Short Report on a Hydrological Survey in the Southern Karst Zone of the Gunungkidul Area 5 (9) 1965: 10-16.

Linden, P.vander: The Application of Hidrograph Analysis to Recognize Various Discharge Components during Rainstorms, A Hydrological Case Study in Central Java, 10 (39) 1980: 43-53.

Martopo, Sugeng: Hydrological Potential of the Southern Flank of Slamet Volcano, Central Java, 14 (48) 1984: 55-66.

Pande, R.K.: Evaluation of Gola River Annual Discharge: An Experience of Spring Fed Siwalik Mountain River, 16 (52) 1986: 49-54.

Tedjojuwono, Kardono Darmojuwono and Halim M. Khan.: A Program for Hydrological Studies in Indonesia, 5 (9) 1965: 32-36.

INDUSTRY

Hansen, G. H. : A Textile Fall Pattern at Sangiran Dome Area in Central Java, 9 37

Khan, M. Halim: The Salt Industry in Madura, Indonesia, 8 59

Reksohadiprodjo, Iso: Views and Com-

ment: Ups and Downs of the Sugar-cane Industry in Indonesia, 8 61

Sutton, W.J. : The Chinese Potters Built Their Chimneys Lying down on the Slope of a Hill, 5 (9) 1965: 8-9.

LAND AND AGROECOSYSTEM

Fox, Jeff : Using Integrated Land Surveys and Agroecosystem Analysis to Study Upland Areas in East Java, 14 (47) 1984: 1-8.

LAND RESOURCES

Malingreau, Jean Paul : It's 9 O'clock, A Land Resources and Technology Satellite must be going over Indonesia!, 7 (33) 1977: 29-38.

Mangunsukardjo, Karmono : Inventory of the Land Resources of the Serayu River Basin from a Geomorphological Viewpoint, 14 (48) 1984: 79-98.

LANDUSE

Day, D.G.: Landuse Change and Variable Source Areas for Runoff, 13 (45) 1983: 25-36.

Malingreau, Jean Paul : A Land Cover/Landuse Classification for Indonesia, 11 (41) 1981: 13-50

Malingreau, Jean Paul: A Proposed Land Cover/Landuse Classification and Its Use with Remote Sensing Data in Indonesia, 7 (33) 1977: 5-28.

Sutanto and Dulbahri and Sukwardjono: Landuse Change in Giriwoyo Sub-district (Central Java) as Traced through Aerial Photograph, 9 (38) 1979: 27-36.

LANDUSE MAPPING

Darmojuwono, Kardono : A Trial of A Method of Landuse Mapping for Indonesia, 4 (7) 1964: 23-35.

Hadisumarno, Surastopo : Landsat Imagery for Landuse/Land Cover Mapping at the Island of Sulawesi (Indonesia) and the Problem of Data Transfer into the Existing Topographic Base, 8 (36) 1978: 41-49

Hadisumarno, Surastopo: The Use of LANDSAT Image for Landuse Mapping in South Sumatra, 6 (32) 1976: 49-65.

Hadisumarno, Surastopo and Aniat Murni Arymurthy : Digital Processing and Tentative Land Use Interpretation in Relation to Landform of Landsat-1 Recording of Lombok Island Indonesia, 8 (35) 1978: 15-32.

MIGRATION

George, E.Sokari : The Migration Effect of Over urbanitation and their Planning Implications in Nigeria, 17 (54) 1987: 37-54.

Mantra, Ida Bagus : Lifetime Migration in Indonesia Based on 1971 and 1980 Census Data, 14 (47) 1984: 19-34.

Maude, Alaric : How Circular is Minangkabau Migration?, 9 (37) 1979: 1-12.

PHYSICAL GEOGRAPHY

Dulbahri : Identifying Physical Variables from Sir-A Images: A Study in the Tangkubanperahu Area, 13 (46) 1983: 29-34.

POPULATION

Bintarto, R.: A Transmigration in Lampung, 5 (9) 1965: 46-52.

Bintarto, R.: Pressure of Population in Klaten and Its Obvious Results: 1 (1) 1960: 45-50.

Chapman, Murray : Circulation Studies at the East-West Population Institute, Honolulu, 7 (33) 1977: 1-4.

Dove, Michael R. : Extant Population/ Land Balances and the Development of Oilpalm Estates in West Kalimantan, 12 (43) 1982: 23-28.

Effendi, Tadjuddin Noer : Mobility Behaviour and Household Structure: A Case Study of Two Villages of West Java, Indonesia, 17 (53) 1987: 35-52.

Hull, Terence H. and Tukiran : Regional Variations in the Prevalence of Childlessness in Indonesia, 6 (32) 1976: 1-26.

Jong, W. de, J.G.L. Palte and F. van Steenberg: The Role of Banjarnegara as a Small Regional Centre in Central Java, 13 (45) 1983: 37-52.

Kasto : Economic Status and Fertility Levels in the Two Hamlets of Sriharjo, 10 (39) 1980: 17-26.

Kasto : Some Demographic Factors Causing the City of Yogyakarta, 6 (10-31) 1976: 21-34.

Mantra, Ida Bagus and Tukiran: Population Projections by Age and Sex in Special Region of Yogyakarta, 1971-2001, 6 (10-31): 1-20.

Mantra, Ida Bagus : Circular Mobility and Regional Development A Case Study of Two Dukuh in Yogyakarta Special Region, 10 (40) 1980: 43-54.

Mantra, Ida Bagus : Population Distribution and Population Growth in Yogyakarta Special Region, 16 (52) 1986: 21-32.

Mantra, Ida Bagus : Population Problems and Resettlement Program in Indonesia, 12 (44) 1982: 29-43.

Reksohadiprodjo, Iso and Arifin Mukaddas: Population Density and Swamp Paddy Cultivation with Irrigation facilities in the Asian Monsoon Tropics with Special Reference to Java (Indonesia), 1 (2-3) 1961: 5-10.

Reksohadiprojo, Iso and Soedarsono Hadisaputro: Trends in Population Change and Food (Paddy) Production, 1 (1) 1960: 15-20.

Sir, Victor F.S.: The Population Geography of Hongkong, 1949- 1981, 13 (45) 1983: 1-24.

Singh, R.B.: Spatio-temporal Analysis and Future Probable Trend of Working Force in India, 10 (40) 1980: 9-22.

Sohn, Hong K. : The Urban Density Function and Its Application, Cross sectional Approach, 9 (37) 1979: 13-32.

Sontosudarmo, Alip : Some Estimation of Fertility of Fertility and and Mortality in Yogyakarta Special Region, 6 (32) 1976: 41- 48.

Staarman, Magda and Verhey, Claartje and Palte, Jan: Fertility Behaviour in Town of Central Java, 17 (53): 25-34.

Sudarmo : Population Study in Katjamatan Papar in Kediri (East Java), 3 (4-6) 1963: 40-44.

Sutanto: Population Estimate in Bligo Based on Small Scale Airphoto: A Case Study in a Densely Populated Village in Central Java, 7 (33) 1977: 39-

Uyanga, Joseph : Implications of the Service Sector Growth for Population Change in Small Towns in South Australia, 11 (42) 1981: 1-8.

Uyanga, Joseph: Population in Urban Development and the Practical Problems of Urban Planning Policy in Africa, 15-16 (49-51) 1985- 1986: 15-32.

Uyanga, Joseph: The Space-Time and Systematic Concepts in Regional Planning: The Population Aspect 14 (47) 1984: 9-18.

Yunus, Hadi Sabari: Analysis of Urban Population Density through Air-Photo Case Study of Yogyakarta City, 8 (36) 1978: 23-40.

REGIONAL GEOGRAPHY / PLANNING

George, E.Sokari: New Towns as Growth Centres: A Case Study in Nigeria, 16 (52) 1986: 9-20.

Huisman, Henk and Mangunsukardjo, Karmono: Geography and Regional Development Planning: Linking Understanding to Action, 16 (52) 1986: 1-8.

Sohn, Hong K.: Disaggregation of Information for Geographical Regional Analysis, 11 (42) 1986: 39-46.

REMOTE SENSING

Sutanto : Remote Sensing: Science and Technique, 14 (48) 1984: 115-120

RESOURCES

Fadil, Moch.: An Atlas of Indonesian Resources, 3 (4-6) 1963: 29- 31.

Spiva, George A.: Some Aspects of Resource Development in Indonesia, 1 (2-3) 1961: 20-28.

Uyanga, Joseph : A Suggested Information System for Environment Resources Use Planning, 13 (46) 1983: 1-12.

SEA SURFACE

Gastellu-Etchegorry, J.P. and Pramono Mardio: The Remote Sensed Sea Surface Temperature: A Case Study in Indonesia, 13 (46) 1983: 13-28.

Gastellu-Etchegorry, J.P. and Boely T. and Christophil M.: Operational Procedure for Monitoring Remotely Sensed Sea Surface Temperatures, 17 (54) 1987: 55-79.

SETTLEMENT, URBAN

Bintarto, R. : A Quantitative Expression of the Pattern of Urban Settlement in the Province of Yogyakarta, 8 (35) 1978: 33-43.

SOCIAL GEOGRAPHY

Baas, H : The Place of Man in Social Geography, 1 (2-3) 1963: 17- 19.

Bintarto, R.: A Preliminary Settlement Study in the Province of Yogyakarta based on the Hexagonal Hierarchy Theory, 7 (33) 1977: 29-38.

Bintarto, R.: Man, Rice, and Problems in Yogyakarta 3 (4-6) 1963: 34-39.

Budiardjo, Eko: Housing for the Homeless in Semarang 17 (54) 1987: 1-10.

Budiardjo, Eko : The Indonesian Experience in the Kampung Improvement Programme, 17 (53) 1987: 53-60.

Hinderink, J.: Geography and the Study of Development, 11 (42) 1981: 9-18.

Mantra, Ida Bagus: Socio-Economic Problems of the Kampung Laut Community in Central Java, 14 (48) 1984: 103-114.

Sarpang, E.Ofori: Food Crisis in Africa, 17 (53) 1987: 61-72.

Singh, R.B.: The Role of Education in Rural Development: Spatial and Structural Strategy in Rural India, 10 (39) 1980: 43-53.

Sohn, Hong K.: A Note on Spatial Variations in Housing Prices, 8 (36) 1978: 17-22.

Sohn, Hong K.: Some Aspects of Building Cost in Townsville, Australia and Guam, U.S.A. with the Consideration of Geographical Differences in Economic Context, 9 (38) 1979: 15-26.

SOIL

Linden, P. van der: Distribution of Soils in an Undisturbed and in a Man-Disturbed Physical Environment, Serayu River basin, Central Java, Indonesia, 12 (44) 1982: 15-28.

Notohadiprawiro, R.M. Tedjojuwono: A Comparative Study of two Adjacent Soil Profiles under Different Vegetation and Use, 4 (7) 1964: 36-49.

Notohadiprawiro, R.M. Tedjojuwono: A Soil Survey in the Bena Plain on the Island of Timor, 4 (8) 1964: 1-29.

Yunianto, Tukidal: Soil Erosion Hazard Study Using Aerial Photography: Case Study of the Area of Kulonprogo Hills, 12 (43) 1982: 29-50.

TRADE

Khan, M.Halim: Trade Pattern of Indonesia, 5 (9) 1965: 53-66.

Reksohadiprodjo, Iso: Competition and Cooperation between Small-Holders and Western Entrepreneurs in Growing Exportcrops in Central Java before and after World War II, 5 (9) 1965: 1-7.

URBAN ENVIRONMENT

Bintarto, R.: A Trial for an Urban Transport Zonation for Yogyakarta City, 14 (48) 1984: 97-102.

Dulbahri: Spot Simulation for Urban Study, 15-16 (49-51) 1985- 1986: 69-74.

Withington, William A.: The Intermediate City Concept Reviewed and Applied to Major Cities in Sumatra, Indonesia, 15-16 (49-51) 1985-1986: 1-14

VEGETATION

Gastellu-Etchegorry, J.P.: Radar Remote Sensing for Vegetation with Special Reference to Nipah Delination on SIR-A Image, 17 (53) 1987: 1-24.

Withington, William: The Dynamics of Man and Land in Sumatra: A New Vegetation Map, 1980, 11 (41) 1981: 1-12.

WATER RESOURCES

Khan, M.Halim: An Introductory Geographic Study of Water in Mid-Java, 4 (8) 1964: 48-58.

Khan, M.Halim: Water in Gunungkidul, 4 (7) 1964: 50-60.

Linden, P. van der: An Input-Output Analysis with Respect to Water and Its Load for a Tropical Watershed (Central Java, Indonesia), 11 (42) 1981: 39-46.

Pande, R.K.: Surplus Water Potential of Himalaya Agro-Climatic Region in India, 17 (53) 1987: 73-84

Sutikno: Patterns of Water Resources Utilization for Domestic Purposes in the Serayu River Basin, 14 (48) 1984: 35-54.